

KNOX KEYSECURE® 5

ORDERING GUIDE

All KeySecure units are built to order. This ordering guide assists in determining your department's specific needs.



Knox WiFi conforms to the 802.11 b/g/n standard (2.4 GHz), and Knox Ethernet conforms to the 8023 standard, with IPv4 local addressing.

Supported Security/Encryption

- Open (no encryption)
- WEP 40/104 characters (ASCII)
- WPA-PSK TKIP
- WPA/WPA2 Mixed
- WPA2-PSK AES
- WPA2-EAP-TLS
- WPA2-EAP-PEAP with TLS
- WPA2-EAP-PEAP with MSCHAP

NOTE: EAP-FAST is not currently supported. Contact tech support if your encryption type is not listed.

Ports required for communication

- 443 SSL communication
- 123 Network Time Protocol

Network details are required to achieve accurate ordering and implementation

To properly order and install the Knox KeySecure 5 system on your network, the following information is required from your network administrator:

- Are static IP addresses used on your network?
- Do you have Internet access on your network?
- What Operating System (OS) and version are you using?
- What encryption do you use on your wireless network?
- Will you be using WiFi or Ethernet?
- If using WiFi, what is your SSID?
- If using WiFi, do you know pass phrase?



KNOX KEYSECURE® 5 ORDERING GUIDE

Instructions:

For configuration and quote, fax this worksheet to our o	customer service team at 623.687.2300
Contact Information:	
Name:	
Department:	
Street Address:	678901
City:	
Phone:	
Email:	
How many Knox KeySecure 5 units do you need?	
KeySecure 5 (One Mechanical Key)	
KeySecure 5 (Two Mechanical Keys)	
Do you need a KeySecure 5 unit that houses 2 Knox mechanical keys?	3. What software license do you require? There is a recurring charge for the cloud license.
No, Continue to Question 2	Local KnoxConnect
Yes	Supports programming and audit trail collection through mini USB only. One-year Cloud Supports WiFi and Ethernet programming and audit trail collection only. Three-year Cloud Supports WiFi and Ethernet programming and audit trail collection only.
If yes, what second jurisdiction keyway needs to be installed in the unit?	
Knox MedVault override key for your jurisdiction	
Mutual Aid	
Second Dept	
2. What type of bracket is needed? 4. Knox KeySecure 5 ships with a 12 V	
90 Degree Bracket	cable for use in a vehicle. Will you need an AC adapter for use outside a vehicle or for preconfiguring your units?
60 Degree Bracket	
Flat mount bracket	Yes, include AC adapter(s)
Mounting bracket adapter plate kit	No

KnoxConnect Local to Cloud Migration (complete if you have an active KnoxConnect local license and need to move to KnoxConnect Cloud.

Which Migration best fits your needs?

- **1. Forced Migration:** Units only are sent to the cloud (user, pins, and audit trails are not included). Customer is not needed to complete migration process.
- 2. Standard Migration: Knox tech support assists with this migration option. All units, users, pins, and audit logs are sent to the cloud.