

FIRST RESPONDERS

Product Catalog

WELCOME TO KNOX

Since 1975, the Knox Company has developed innovative rapid access solutions for first responders, with products that provide fast, safe and secure entry into commercial, industrial and residential properties; while minimizing damage and maximizing safety.

We're proud to now offer, the Knox eLock System™ with technology that incorporates an innovative eKey that provides a cost-effective access control process to protect vital assets. It's designed for maximum security, access and complete accountability while delivering ruggedness and quality.

All products are assembled in the USA in a Phoenix, AZ facility. Knox is a woman-owned business.

More than 14,000 fire and law enforcement departments depend on Knox products to gain access into over one million buildings/properties.



KNOX ECOSYSTEM KNOX ECOSYSTEM

RAPID ACCESS SOLUTIONS

for first responders

Knox products minimize critical access delays and forced entry damage/injuries.

FDC PROTECTION

KNOX STANDPIPE LOCK®



Safeguards discharge standpipes and wall hydrants ensuring operational integrity



PERIMETER ACCESS

KNOX GATE & KEY SWITCH™



Overrides electric gates in residential communities, parking garages and industrial gated areas





PERIMETER ACCESS

KNOX PADLOCKS®



Quick access into secured multifamily property areas, community gates and temporary construction sites

POWER CONTROL

KNOX REMOTE POWER BOX™

Remotely operate a shunt trip breaker

to safely remove or isolate power from

a building or equipment

INTERIOR ACCESS

KNOX DOCUMENT CABINET™



Gain immediate access to hazardous material data, critical emergency response documents and interior keys

Reduce drug diversion risks and increase controlled substance accountability with secure storage and access limited to authorized first responders



KEY CONTROL

The highest level of master key control and retention with flexibility, security and accountability



BUILDING ACCESS

KNOXBOX® | KNOXVAULT®



Rapid access key boxes eliminate the need for forced entry, minimizing critical delays, injuries and property damage





INTERIOR ACCESS

KNOX ELEVATOR BOX™



On-the-spot retrieval of elevator and interior keys



FDC PROTECTION


NARCOTICS CONTROL

KNOX MEDVAULT®

KNOX FDC LOCKING CAPS







KNOXBOX.COM | 5 4 | KNOXBOX.COM



KNOX eKEY™

The Knox eKey elevates master key control by remembering and reporting where and when it was used. It offers enhanced security features to prevent unauthorized use. eKeys can be assigned multiple lock codes, eliminating guesswork and streamlining access for users with multiple master keys or mutual aid arrangements. When used with the Knox KeySecure 6 or KnoxDock and KnoxConnect, it provides a complete solution for accountability and control in KnoxBoxes equipped with eLock cores.



Programmable electronic key

Dimensions: 3.25"H x 1.29"W x 0.92"D

KNOX eLOCK CORE™

Powered by the Knox eKey, the eLock core is constructed to withstand physical stress and harsh weather conditions. It can be retrofitted into most Knox products and eliminates expensive rekey costs resulting from lost keys. It's maintenance-free and proactively prevents forced entry caused by improperly maintained lock cores. Holds one (1) lock code and stores up to 140 events.



Electronic lock, retrofit

Dimensions: 0.87"D x 1.73"L

FEATURES: No wiring No batteries Electronic lock core Design protects from dust and dirt

KNOXDOCK™

The KnoxDock is a flexible, light duty key programming, charging and retention solution used with a PC or tablet. It offers administrators and inspectors an office-friendly key retention alternative to the rugged, mobile KeySecure 6. Managed by an easy-to-use PC app, the KnoxDock provides connectivity between KnoxConnect and the eKey for key activation and audit trail upload.



Key programmer and recharger

Dimensions: 4.5"H x 2.0"W x 1.25"D



KNOXBOX.COM | 7

6 | KNOXBOX.COM


FEATURES:

Deactivation capability if

Manages up to 100 lock codes and stores 2,500

Rugged, water-resistant

KEY CONTROL ■ KEY CONTROL ■



KNOX KEYSECURE 5

Secure dual master key retention system utilizes the cloud-based KnoxConnect management system to configure, program, manage and monitor users. Keys release with a secure individualized PIN code.



KeySecure 5 secures two mechanical keys

Dimensions: 6.0"H x 4.25"W x 3.5"D

KNOX KEYSECURE® 6

The highest level of master key control and retention with flexibility, security and accountability. Both a mechanical master key and eKey are locked and only accessible using user specific PIN codes. The KnoxConnect cloudbased management system configures and manages the eLock System devices and users.



KeySecure 6 secures both an eKey and mechanical key

Dimensions: 6.0"H x 4.25"W x 3.5"D

FEATURES:



KnoxConnect's cloud-based management system for eLock products, tracks keys/access, users and provides reports



WiFi or Ethernet-Enabled



USB Port



2 Mechanical Knox Master Keys



Access Key using SecurePIN or user PIN



Records up to 16,000 audit trail events



Stores up to 5,000 user PIN codes



Holds the universal Knox FDC Wrench

FEATURES:




KnoxConnect's cloud-based management system for eLock products, tracks keys/access, users and provides reports



WiFi or Ethernet-Enabled



U Po





Access Key using SecurePIN or user PIN



Records up to 16,000 audit trail events



Stores up to 5,000 user PIN codes



Holds the universal Knox FDC Wrench





KNOXVAULT® 4400

The 4400 is the largest exterior rapid access key lock box available. It secures up to 50 keys, access cards, entry items and more. For additional security, use the optional Tamper Alert feature and purchase the recess mounted model.





Recessed Mount: 9.5"H x 9.5"W Flange



Surface Mount in Black

Surface Mount: 7"H x 7"W x 5"D

KNOXBOX® 3200

The 3200 holds up to 10 keys and/or access cards and entry items. For additional security, use the optional Tamper Alert feature and purchase the recess mounted model.



OPTIONS:

eKey and Mechanical Key models available





Multi-Purpose Electrical Switch



Recess Mounting Kit for New Masonry Construction



Recess or **Surface Mounting**



CAPACITY:

Secures a combination of these items:











COLOR OPTIONS FOR BOTH THE 4400 AND 3200:



Aluminum





Law Enforcement



Dark Bronze

CERTIFICATION:





This product has passed UL's

UL 1037

UL 437 UL 1610 UL 1332

rigorous security testing



Recessed Mount in Black

Dimensions: Recessed Mount: 7"H x 7"W Flange



Surface Mount in Blue

Dimensions: Surface Mount: 4"H x 5"W x 3.75"D

OPTIONS:



eKey and Mechanical Key models available





Multi-Purpose **Electrical Switch Recess Mounting**



Kit for New Masonry Construction

Surface Mounting



Entry

CAPACITY:

of these items:

Secures a combination

Up to 10

Cards

standardized keys.*

*Four to six keys if using large keys or key tags

FDC PROTECTION FDC PROTECTION

FDC PROTECTION RECENTIFIED THE PROTECTION TO TH





KNOX FDC LOCK™

Locking FDC caps safeguard the integrity of fire sprinkler systems and keep debris out, while eliminating vandalism and other damages. Knox FDC Locks ensure vital high-pressure water connections are ready and functioning when needed.







2.5" Diameter, Male Locking Cap



1.5" Diameter, Male Locking Cap

KNOX STORZ LOCK®

Storz Locks protect large diameter FDCs to ensure reliable water connections and prevent fire hydrant water loss or theft.

KNOX STANDPIPE LOCK®

Protect the discharge side of wet and dry standpipes with the heavy-duty Knox Standpipe Lock. The brass threaded stainless steel cap locks into place to ensure a reliable connection and strong water pressure.



5" Diameter

4" Diameter



2.5", Female Locking Cap

NARCOTICS CONTROL NARCOTICS CONTROL





KNOX MEDVAULT®

Reduce drug diversion risks and increase controlled substance accountability with secure storage and access limited to authorized first responders. Data gathering is streamlined for regulatory and licensing compliance reporting. Control access through the use of authorized PIN codes.



Large Capacity Recessed Mount Exterior Dimensions: 10.75"H x 14.12"W x 10"D

Available in both recessed and surface mount options

Interior Dimensions: 8.75"H x 11.25"W x 6.62"D



Small Capacity
Surface Mount

Exterior Dimensions: 6.75"H x 9"W x 6.5"D

Interior Dimensions: 6.25"H x 8.5"W x 3.12"D

FEATURES:



management system for eLock products, tracks keys/access, users and provides reports



WiFi or Ethernet-Enabled



Automatically connects to network for upload of transaction history



Use SecurePIN, single or Dual PIN for access



Records and stores up to 16,000 events



Holds up to 5,000 unique PIN codes



High security door status monitors



Available with swing or drop down door

Available in both recessed and surface mount options

14 | KNOXBOX.COM

PERIMETER ACCESS PERIMETER ACCESS





KNOX PADLOCKS°

Utilize the same Knox Rapid Access System's master key with padlock options that provide ingress into multiple environments and other important locations. Exterior heavy-duty padlocks (Models #3781, 3782, 3783) are built with a stainless-steel shackle and provide ingress on pedestrian gates, storage areas and into gated communities. The shrouded all-weather padlock (Model #3784) provides additional security against pry and cut attacks.



Exterior -All Weather Conditions



Exterior -All Weather Conditions



Exterior -All Weather Conditions



Exterior Shrouded -All Weather Conditions



OPTIONS:

eKey and Mechanical Key models available

Available in multiple

Interior -Light Duty



Interior -Light Duty

KNOX GATE & KEY SWITCHES™

Open electrical and manual gates, roll-up and motorized doors and fences in secured areas without delays, force or damage.



Double Key Switch on Mounting Plate



Single Key Switch on Mounting Plate



Single Key Switch

CERTIFICATION:



UL 437 Lock Core

This product has passed UL's rigorous security testing

OPTIONS:



Dual Loc



Available in multiple agency labels



Available with or without mounting plate



SPDT and DPDT options on most models

RESIDENTIAL ACCESS

RESIDENTIAL ACCESS

KNOX HOMEBOX™

The Knox HomeBox provides first responders with quick and secure access when responding to elderly, chronically ill and homebound community members during emergency situations. It prevents forced entry and reduces costly damages. No monthly fees.



Faceted Backplate, Wall Mount

Dimensions: 4.2"H x 2.37"W x 2.05"D



No Backplate, Wall Mount

Dimensions:



Security Door, Hanger Mount

Dimensions: 4.2"H × 2.37"W × 2.05"D



Standard Door, Hanger Mount

Dimensions: 4.2"H × 2.37"W × 2.05"D





Antique White

CERTIFICATION:



Lock is UL Listed

INTERIOR ACCESS INTERIOR ACCESS







KNOX DOCUMENT CABINET™

The Document Cabinet secures keys (up to 231), floor/evacuation plans, SDS and HAZMAT info and more in an easy to access location. The optional Knox Tamper Alert provides a higher level of security and the dual lock feature delivers access to both first responders and facility managers.



Dual Lock Document Cabinet

Dimensions:

COLOR OPTIONS:

Light Gray

OPTIONS:



eKey and Mechanical Key models available







Expansion Swing Panel for Additional Keys

CAPACITY:

Secures a combination



Up to 231







HAZMAT Data

CERTIFICATION:



OPTIONS:

CAPACITY:

Secures a combination of these items:

Kevs

2 Elevator

UL 1037 UL 437 UL 1610

eKey and Mechanical Key

Expansion Swing Panel for Additional Keys

This product has passed UL's rigorous security testing

KNOX ELEVATOR BOX™

Designed for lobby use, first responders have immediate access to the calibrated elevator drop key(s) and other keys to access critical interior areas. The Knox Tamper Alert provides a higher security level.







COLOR OPTIONS:

10.5"H x 7.5"W x 2"D

code labeling requirements



Aluminum



Door Drop Keys

Elevator Box in Red

Dimensions:

The Elevator Box is available in two models to meet jurisdictional

POWER CONTROL POWER CONTROL



KNOX REMOTE POWER BOX™

Remotely operate a shunt trip breaker to disconnect power to buildings, equipment, generators, wind/solar and telecommunication systems to minimize potential injuries. The tamper alert feature connects to alarm systems for extra security.





Surface Mount

Dimensions:

Surface Mount: 7"H x 7"W x 7.25"D

Recessed Mount: 9.5"H x 9.5"W Flange





eKey and Mechanical Key models available



Alert



Tamper Seals



Recess or Surface Mounting



Single or

CAPACITY:



2 Key

COLOR OPTIONS:



Red

CERTIFICATION:



UL 1037 UL 437 UL 1610 UL 1332

UL 508

This product has passed UL's rigorous security testing

KNOX SOFTWARE





KNOXCONNECT™

The KnoxConnect Management System is a cloud-based system used to program and manage eLock devices and users. It provides the ability for administrators to program devices, update PIN codes, authorize users, deactivate keys, view device status and create comprehensive audit trail reports from the web.



FEATURES:



Cloud or locally* hosted



Automatic updates



Supports mechanical and eLock systems



Enterprise Security

KNOX SECUREPIN™

Engineered to the highest level of flexibility, security and accountability, Knox SecurePIN™ delivers the next generation of key access, allowing dispatchers to grant temporary access to keys without requiring personal codes or management of personnel in the software system.



ORDER ONLINE: TO LEARN MORE, CALL: **KNOXBOX.COM** 800.552.5669

KNOX COMPANY

1601 W. DEER VALLEY RD PHOENIX, AZ 85027

T 800.552.5669

киохвох.сом

F 623.687.2290

INFO@KNOXBOX.COM

