



ACCESS THE WORLD OF KNOX®

2018-2019 Product Catalog

40+

Over forty years ago, a unique concept in fire response was born: KnoxBox®, a high security lock box was designed to provide rapid entry, reduce response times, and protect property from forced entry. Today, one revolutionary key lock box has grown into a complete system authorizing secure rapid access for industries and property owners across the world.

Knox is proud to say that over 14,000 fire departments and governmental agencies trust Knox Rapid Access Solutions.

TABLE OF CONTENTS

4	Knox Rapid Access Solutions System of emergency rapid access	18	Knox Padlocks™ Provides access into gated areas
6	5 Reasons to Deploy a Knox Solution From security to investment, learn why	19	Knox Document Cabinet™ Stores interior keys and emergency/response documents
8	How Secure is Your KnoxBox Learn the specifics in Knox security	20	Knox Elevator Box™ Stores elevator drop keys
12	KnoxVault® 4400 Large capacity key lock box	21	Knox Remote Power Box™ Safely disconnect power from a building or equipment
13	KnoxBox® 3200 #1 high-security key lock box	22	Knox KeySecure® Secures the Knox Master Key(s)
14	Knox FDC Locks™ Protects fire department connections (FDCs)	23	Knox MedVault® Stores and secures narcotics
15	Knox Storz Locks™ Protects large diameter FDCs	24	Knox Residential Box™ Provides access into residential homes
16	Knox Standpipe Lock™ Protects standpipe and wall hydrant outlets	25	Knox HomeBox™ Provides access into residential homes
17	Knox Gate & Key Switch™ Provides access into electric gates and motorized doors	26	References Product model # information

KNOX RAPID ACCESS SOLUTIONS

Providing first responders emergency access where it matters, when it matters most.

1



**KNOX
PADLOCK™**
page 18

2



**KNOX GATE &
KEY SWITCH™**
page 17

3



**KNOX REMOTE
POWER BOX™**
page 21

4



**KNOX FDC
LOCK™**
page 14

5



**KNOX STORZ
LOCK™**
page 15

6



**KNOXVAULT®
4400**
page 12

7



**KNOXBOX®
3200**
page 13

8



**KNOX
DOCUMENT CABINET™**
page 19

9



**KNOX
ELEVATOR BOX™**
page 20

10



**KNOX STANDPIPE
LOCK™**
page 16

11



**KNOX
KEYSECURE®**
page 22

12



**KNOX
MEDVAULT®**
page 23



5 REASONS TO DEPLOY A KNOX SOLUTION

Knox works with over 14,000 public agencies in providing solutions to enable emergency rapid access, when seconds matter.

1**RAPID ACCESS**

Eliminate barriers and allow first responders to quickly gain access to secured properties.

2**PROTECTION**

Protect property, inventory, and thousands of dollars in investments from fire and water damage by providing rapid access to first responders.

3**INVESTMENT**

Eliminate costly repair from forced entry with a one-time, low cost investment.

4**LOW MAINTENANCE**

All products are built Knox-Rugged to require little maintenance and retain their operational integrity even under extreme weather conditions.

5**SECURITY**

Only your local fire department or public safety agency has the authority to access your Knox products.



LISTED

Tested and Proven Secure

Security is a top priority for Knox.
Knox commercial key box products are UL listed.



UL® 1037 Listed

Knox® commercial key box products are
UL 1037 listed against physical attack
as required by the 2018 IFC and 2018 NFPA 1

Knox® commercial key box products are rigorously tested by Underwriter's Laboratories and carry some or all of the following listings as indicated throughout this catalog.

UL 1037	Anti-theft Alarms and Devices (entire unit)
UL 437	Standard for Safety for Key Locks (keyway)
UL 1610	Central Station Alarm Units (units with tamper switch)
UL 1332	Organic Coatings for Steel Enclosures for Outdoor Use Electrical Equipment (powder coat)
UL 508	Industrial Control Equipment (entire unit)

SECURITY UNCOMPROMISED

Knox products are built with security in mind.



BUILT KNOX-RUGGED

Knox products are constructed with heavy-duty materials to operate in the most demanding environments, resist a physical attack, vandalism, and extreme weather conditions.



ALARM READY

Knox Tamper Alert adds an extra layer of security by connecting to your building's alarm system and sounding off if triggered by unwarranted access.



KEYWAY

Knox only uses factory restricted keys and locks for ultimate security.



SECURED ACCESS

Typically, only your local fire department or public safety agency has access to your Knox products. However, Knox solutions can also be configured and deployed for your organization's unique access needs.



INSTALLATION

Proper installation is imperative to guarantee the security and safety of your Knox products. All products are shipped with detailed instructions to ensure successful installation. Proper installation includes both the height of the box (recommended to be 6 feet off the ground) and the correct type and number of fasteners (five 3/8" diameter Grade 5 or 8 fasteners).



KNOX PRODUCTS



BIG BUILDINGS, BIG RISK.

KNOXVAULT® 4400

The KnoxVault 4400, our largest key lock box, stores up to 50 keys, access cards, entry items, and more, to enable secure, rapid entry into your property. The KnoxVault 4400 offers even higher security when recess mounted and equipped with the optional Knox Tamper Alert.








Recessed Mount in Dark Bronze
Model #4444



Surface Mount in Black
Model #4402




PRODUCT OPTIONS:

-  Knox Tamper Alert
-  Multi-Purpose Electrical Switch
-  Recess Mounting Kit for New Masonry Construction
-  Single or Dual Lock
-  Recess or Surface Mounting

WHAT CAN FIT INSIDE:

-  50 Keys
-  Access Cards
-  Entry Items
-  FDC Keywrench

COLOR OPTIONS:

-  Aluminum
-  Black
-  Dark Bronze

CERTIFICATION:



UL 1037
UL 437
UL 1610
UL 1332

This product has passed UL rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGES 27

PROVIDE ACCESS, AVOID DISASTER.

KNOXBOX® 3200

Built with the same trusted security, KnoxBox 3200 secures up to 10 keys, access cards or entry items for rapid access when emergency response is needed. The KnoxBox 3200 offers the highest security when recess mounted and equipped with optional Knox Tamper Alert.



Recessed Mount in Dark Bronze
Model #3275



Surface Mount in Black
Model #3262

PRODUCT OPTIONS:



Knox Tamper
Alert



Multi-Purpose
Electrical Switch



Recess Mounting
Kit for New Masonry
Construction



Recess or
Surface Mounting

WHAT CAN FIT INSIDE:



10
Keys



Access
Cards



Entry
Items

COLOR OPTIONS:



Aluminum



Black



Dark Bronze

CERTIFICATION:



UL 1037
UL 437
UL 1610
UL 1332

This product has passed UL
rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGE 28

BE PROACTIVE, NOT REACTIVE.

KNOX FDC LOCKS™

Safeguard the integrity of your fire sprinkler system by protecting fire department connections (FDCs) from damage, debris and vandalism. Knox FDC Locks ensure vital high-pressure water connections are ready and functioning when they're needed most.



**2.5" Diameter, Male
Locking Cap with
Swivel-Guard™
Enhanced Protection**
Model #3041



**2.5" Diameter,
Male Locking Cap**
Model #3043



**1.5" Diameter,
Male Locking Cap**
Model #3050

FOR ADDITIONAL MODELS, SEE PAGE 28

PROTECT THE VULNERABLE.

KNOX STORZ LOCKS™

Knox Storz Locks are locking caps that protect large diameter FDCs to ensure reliable water connections and prevent fire hydrant water loss or theft.



5" Diameter
Model #5002



4" Diameter
Model #5001

FOR ADDITIONAL MODELS, SEE PAGES 29

THE PRESSURE IS ON.

KNOX STANDPIPE LOCK™

Protect the discharge side of wet and dry standpipes with heavy-duty Knox Standpipe Lock. The brass threaded stainless steel cap locks into place to ensure a reliable connection and strong water pressure.



**2.5", Female
Locking Cap**
Model #4043

FOR ADDITIONAL MODELS, SEE PAGES 28

WHEN SECONDS COUNT.

KNOX GATE & KEY SWITCHES™

Provide first responders rapid access through locked electric gates and motorized doors at apartment complexes, residential communities, parking garages, buildings, and more by installing secure, reliable Knox Gate & Key Switches.



**Double Key Switch
on Mounting Plate**
Model #3503



**Single Key Switch
on Mounting Plate**
Model #3502



Single Key Switch
Model #3501

PRODUCT OPTIONS:



Single or
Dual Lock



Available in
different agency
labels



Available with or
without mounting
plate

CERTIFICATION:



UL 437
Lock Core

This product has passed UL
rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGE 30

ACCESS IS KEY.

KNOX PADLOCKS™

Provide first responders access through locked, manual vehicle and pedestrian gates and barriers. Knox Padlocks' multi-use features allow rapid access to a variety of manually secured areas and are built Knox-Rugged. Shackles are thicker than most standard padlocks and built to resist pull attacks.



Exterior Shrouded Padlock
#3772



Exterior Padlock
#3770



Interior Padlock
#3771

PRODUCT OPTIONS:



2 Outdoor Use Options



1 Interior Use Option



Available in different agency labels

CERTIFICATION:



UL 437
Lock Core

This product has passed UL rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGE 30

EMERGENCY PREPAREDNESS IN A BOX.

KNOX DOCUMENT CABINET™

Built for larger buildings, the Knox Document Cabinet stores up to 231 keys, facility floor plans, Haz-Mat data, current evacuation plans, emergency response, and more, in one central location. Knox Document Cabinet offers even higher security when equipped with optional Knox Tamper Alert. The Dual-Lock system allows for efficient content maintenance by providing first responders emergency access while allowing facility managers easy access to update documents and keys.



Dual Lock Document Cabinet
Model #1308

PRODUCT OPTIONS:



Knox Tamper
Alert



Single or
Dual Lock



Expansion Swing
Panel for
Additional Keys

WHAT CAN FIT INSIDE:



Up to 231
Keys



Access
Cards



Floor
Plans



Safety Data
Sheets (SDSs)



Haz-Mat
Data

COLOR OPTIONS:



Light Grey

CERTIFICATION:



UL 1037
UL 437
UL 1610

This product has passed UL
rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGE 30

RAPID ACCESS, ON ANOTHER LEVEL.

KNOX ELEVATOR BOX™

Designed for lobby use, the Knox Elevator Box stores access keys and elevator drop keys for rapid interior response. Highest security when equipped with optional Knox Tamper Alert.



Elevator Box in Red
Model #1404

PRODUCT OPTIONS:



Knox Tamper
Alert



13-Key
Extension Panel

WHAT CAN FIT INSIDE:



18-32
Keys



2 Elevator
Door Drop Keys

COLOR OPTIONS:



Red



Aluminum



Dark Bronze

CERTIFICATION:



UL 1037
UL 437
UL 1610

This product has passed UL
rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGE 31

POWER CONTROL

KNOX REMOTE POWER BOX™

First responders can remotely operate a shunt trip breaker to safely cut power from buildings or equipment while minimizing potential injuries. Highest security when equipped with optional Knox Tamper Alert.



Surface Mount in Red
Model #4506

PRODUCT OPTIONS:



Knox Tamper Alert



Tag-Out Tamper Seals



Recess or Surface Mounting

WHAT CAN FIT INSIDE:



2 Keys

COLOR OPTIONS:



Red

CERTIFICATION:



UL 1037
UL 437
UL 1610
UL 1332
UL 508

This product has passed UL rigorous security testing.

FOR ADDITIONAL MODELS, SEE PAGE 31

KEY SECURITY, UNDER CONTROL.

KNOX KEYSECURE®

The KeySecure 5 utilizes the new cloud-based KnoxConnect™ Management System to configure devices, manage users, track access for accountability. Establish more flexibility within your system by securing up to two Mechanical Knox Master Keys and enabling shared departmental access.



Dual Key Retention Unit

Model #KSM-200K2

Fire Department / Public Safety Agency Use Only

PRODUCT FEATURES:



Utilizes cloud-based management system to configure devices, manage users and track key access



WiFi or Ethernet-Enabled



USB Port



Secures up to 2 Mechanical Knox Master Keys



Secure PIN-Controlled Access



Records and stores up to 16,000 events



Holds up to 5,000 unique user PINs



Holds Knox FDC Keywrench

FOR ADDITIONAL MODELS, SEE PAGE 32

MINIMIZE DRUG DIVERSION.

KNOX MEDVAULT®

Medical drugs and controlled substances require top security, yet EMS personnel need immediate access during an emergency. Knox MedVault reduces the risk of drug diversion while maintaining employee accountability. Knox MedVault is available in two sizes to meet different space and storage needs.



Large Capacity, Recess Mount

Interior Dimensions: 7.5" H x 10.75" W x 6.5" D
Model #5520 H2S2K2N-7



Smaller Capacity, Surface Mount

Interior Dimensions: 5" H x 7.25" W x 3" D
Model #5201 S2Y2K4-6

PRODUCT FEATURES:



Dual Authentication
Enabled



Holds up to 5,000
unique PIN codes



LED Display



Secure PIN-Controlled
Access



Records and stores up
to 16,000 events



Pull user access
records via the Knox
Administration Software



Manual Key Override



WiFi or Ethernet-Enabled



USB Port

FOR ADDITIONAL MODELS, SEE PAGE 32

FOR RESIDENTIAL USE ONLY. NOT RECOMMENDED FOR COMMERCIAL USE.

BE EMERGENCY READY.

KNOX RESIDENTIAL BOX™

High-security key safe allows first responders to quickly enter the home without forced entry. Keys and medical cards are stored at the entrance of your home in order to avoid potential delay and damage to property when responding to emergencies. A one-time purchase that requires no monthly monitoring fee.



Surface Mount in Aluminum
Model #1662



Door Hanger in Black
Model #1659

PRODUCT OPTIONS:



Knox Tamper
Alert



Surface or
Door Hanger
Mounting

WHAT CAN FIT INSIDE:



2 Keys

COLOR OPTIONS:



Aluminum



Black



Dark Bronze

FOR ADDITIONAL MODELS, SEE PAGE 33

FOR RESIDENTIAL USE ONLY. NOT RECOMMENDED FOR COMMERCIAL USE.

PROTECT YOUR FAMILY. PROTECT YOUR HOME.

KNOX HOMEBOX™

Allow first responders access to your home in an emergency while minimizing property damage and clean-up cost from forced entry. Best of all, it allows first responders to quickly access an immobilized patient when time is limited. A one-time purchase that requires no monthly monitoring fee.



**Faceted Backplate
Wall Mount**
Model #1501B1



**No Backplate
Wall Mount**
Model #1501



**Security Door
Hanger Mount**
Model #1502SH



**Standard Door
Hanger Mount**
Model #1503DH

PRODUCT OPTIONS:



Wall Mount or
Door Hanger
Mounting

WHAT CAN FIT INSIDE:



1 Key

COLOR OPTIONS:



Antique White



Dove



Linen







FOR ADDITIONAL MODELS, SEE PAGE 33

REFERENCES

Product Model # Information
Knox Product UL Listings




KNOXVAULT® 4400

For product details, see page 12

Lock Type	Mount Type	Tamper Alert	Color	Model #
<div>Single Lock</div> <div></div> <div>Dimensions Surface Mount: 7" H x 7" W x 5" D Recessed Mount: 9.5" H x 9.5" W Flange</div>	<div>Surface</div> <div></div>	✓	Aluminum	4410
		✓	Black	4402
		✓	Dark Bronze	4414
		-	Aluminum	4409
		-	Black	4401
		-	Dark Bronze	4413
	<div>Recess</div> <div></div>	✓	Aluminum	4440
		✓	Black	4431
		✓	Dark Bronze	4444
		-	Aluminum	4439
		-	Black	4430
		-	Dark Bronze	4443
	Recess Mounting Kit <i>(for new concrete or masonry construction)</i>			
<div>Dual Lock</div> <div></div> <div>Dimensions Surface Mount: 7" H x 7" W x 5" D Recessed Mount: 9.5" H x 9.5" W Flange</div>	<div>Surface</div> <div></div>	✓	Aluminum	4412
		✓	Black	4404
		✓	Dark Bronze	4416
		-	Aluminum	4411
		-	Black	4403
		-	Dark Bronze	4415
	<div>Recess</div> <div></div>	✓	Aluminum	4442
		✓	Black	4433
		✓	Dark Bronze	4446
		-	Aluminum	4441
		-	Black	4432
		-	Dark Bronze	4445
	KnoxVault Accessories and Options			
Keywrench/Card Holder				4472
Multi-Purpose Electrical Switch				4471
Recess Mounting Kit <i>(for new concrete or masonry construction)</i>				4470


KNOXBOX® 3200

For product details, see page 13

Type	Mount Type	Tamper Alert	Color	Model #
<div>Hinged</div> <div></div> <div>Dimensions Surface Mount: 4" H x 5" W x 3.75" D Recessed Mount: 7" H x 7" W Flange</div>	<div>Surface</div> <div></div>	✓	Aluminum	3264
		✓	Black	3262
		✓	Dark Bronze	3266
		-	Aluminum	3263
		-	Black	3261
		-	Dark Bronze	3265
	<div>Recess</div> <div></div>	✓	Aluminum	3273
		✓	Black	3271
		✓	Dark Bronze	3275
		-	Aluminum	3272
		-	Black	3270
		-	Dark Bronze	3274
KnoxBox Accessories and Options				
Multi-Purpose Electrical Switch				3291
Recess Mounting Kit (for new concrete or masonry construction)				3290


KNOX FDC LOCKS™

For product details, see page 14

Type	Model #
<div></div> <div>2.5" Male Locking Cap with Swivel-Guard™ Enhanced Protection</div>	3041
<div></div> <div>2.5" Male Locking Cap, stainless steel</div>	3043
<div></div> <div>1.5" NH Male Locking Cap, stainless steel</div>	3050



KNOX STANDPIPE LOCK™

For product details, see page 16

Type	Model #
<div></div> <div>2.5" NH Female Locking Cap, stainless steel exterior with solid brass threads</div>	4043



KNOX STORZ LOCKS™

For product details, see page 15



Type	Model #
 5" Locking Cap - Dark, Hard Anodized Aluminum	5002
 4" Locking Cap - Dark, Hard Anodized Aluminum	5001

KNOX STORZ LOCK KITS

Kit Includes Storz Lock Cap and Adapter

Adapter Type	Adapter Size	Face Type	Model #
<div>Knox Storz Lock + 30° Elbow</div> <div></div>	5" Storz x 6" NPT Female Rigid	Gasket	5046
		Metal Face	5047
	5" Storz x 4" NPT Female Rigid	Gasket	5042
		Metal Face	5043
	4" Storz x 4" NPT Female Rigid	Gasket	5022
		Metal Face	5023
<div>Knox Storz Lock + Straight</div> <div></div>	5" Storz x 6" NPT Female Rigid	Gasket	5044
		Metal Face	5045
	5" Storz x 4" NPT Female Rigid	Gasket	5040
		Metal Face	5041
	4" Storz x 4" NPT Female Rigid	Gasket	5020
		Metal Face	5021
Hydrant Steamer Kit – 5" Storz to 4.5" NH Metal Face			5049

KNOX STORZ LOCK ADAPTERS ONLY

Adapter Type	Adapter Size	Face Type	Model #
<div>30° Elbow</div> <div></div>	5" Storz x 6" NPT Female Rigid	Gasket	5086
		Metal Face	5087
	5" Storz x 4" NPT Female Rigid	Gasket	5082
		Metal Face	5083
	4" Storz x 4" NPT Female Rigid	Gasket	5062
		Metal Face	5063
<div>Straight</div> <div></div>	5" Storz x 6" NPT Female Rigid	Gasket	5084
		Metal Face	5085
	5" Storz x 4" NPT Female Rigid	Gasket	5080
		Metal Face	5081
	4" Storz x 4" NPT Female Rigid	Gasket	5060
		Metal Face	5061
Hydrant Steamer Adapter – 5" Storz to 4.5" NH Metal Face			5089

For product details, see page 17

Available Labels:



KNOX GATE & KEY SWITCHES™




Type (includes stainless steel dust cover)		Model #
	Double Key Switch on Mounting Plate	3503
	Key Switch on Mounting Plate	3502
	Key Switch	3501

Available Labels:





KNOX PADLOCKS™

For product details, see page 18

Type		Model #
	Exterior Use, Shrouded - All Weather Conditions 3/4" H shackle clearance, 7/16" diameter stainless steel shackle	3772
	Exterior Use - All Weather Conditions 1-13/16" H shackle clearance, 7/16" diameter stainless steel shackle	3770
	Interior Use - Light Duty 2-3/8" H shackle clearance, 5/16" diameter hardened steel shackle	3771


KNOX DOCUMENT CABINET™

For product details, see page 19

Lock Type	Tamper Alert	Color	Model #
Dual Lock  Dimensions 18" H x 14.5" W x 5" or 7" D	✓	Light Gray	1308
	-		1306
Single Lock  Dimensions 18" H x 14.5" W x 5" or 7" D	✓		1304
	-		1302
Cabinet Options			
Swing Key Hook Panel & Mounting Assembly - 78 Keys			1352
2nd Swing Key Hook Panel <i>(must already have mounting assembly)</i>			1353
Rear Key Hook Panel - 48 Keys			1351







KNOX ELEVATOR BOX™

For product details, see page 20

Type	Tamper Alert	Color	Model #
 <p>Dimensions 10.5" H x 7.5" W x 2" D</p>	✓	Aluminum	1434
	✓	Dark Bronze	1438
	✓	Red	1404
	-	Aluminum	1433
	-	Dark Bronze	1437
	-	Red	1403
Elevator Box Accessories and Options			
13 Hook Expansion Panel		Aluminum	1449
		Dark Bronze	
		Red	



KNOX REMOTE POWER BOX™

For product details, see page 21

Lock Type	Mount Type	Tamper Alert	Color	Model #
Single Lock  Dimensions Surface Mount: 7" H x 7" W x 7.25" D Recessed Mount: 9.5" H x 9.5" W Flange	Recess Mount 	✓	Red	4535
		-		4534
	Surface Mount 	✓		4506
		-		4505
Dual Lock  Dimensions Surface Mount: 7" H x 7" W x 7.25" D Recessed Mount: 9.5" H x 9.5" W Flange	Recess Mount 	✓		4537
		-		4536
	Surface Mount 	✓		4508
		-		4507
Knox Remote Power Box Accessories and Options				
Tag-out Tamper Seals, Package of 20				1008





KNOX KEYSECURE® 5

For product details, see page 22

Type	Model #
<div><div><div>KeySecure Includes:</div><div>WiFi/Ethernet Connectivity, USB Port, Capacity for 2 Knox Master Keys and a Knox Keywrench</div></div><div></div><div><div>Dimensions</div><div>6.0" H x 4.25" W x 3.5" D</div><div>Dimensions with Antenna:</div><div>Extends an additional 1.5" from side of unit and adds up to 4.25" above the unit when oriented upward.</div></div></div> <div></div>	KSM-200K1 (One Key)
	KSM-200K2 (Two Keys)
3 Year KnoxConnect Cloud Admin Software License	SMS-1000C3
KnoxConnect Local Admin Software License	SMS-10
60° degree Mounting Bracket	KLS-MB-60
90° degree Mounting Bracket	KLS-MB-90
Flat-Mount Bracket	KLS-FM
Mounting Bracket Adapter Plate Kit	KLS-AP




KNOX MEDVAULT®

For product details, see page 23

Type	Model #
<div><div><div>LARGER CAPACITY</div><div>MedVault Includes:</div><div>Surface Mount, Light Bar, Ethernet Port, Back Antenna Jack, Rubber Ducky Antenna</div></div><div></div><div><div>Dimensions</div><div>7.5" H x 10.5" W x 6.5" D</div></div></div> <div></div>	5520 H2S2K2N-7
<div><div><div>SMALLER CAPACITY</div><div>MedVault Includes:</div><div>Surface Mount, Light Bar, Ethernet Port, Back Antenna Jack, Rubber Ducky Antenna</div></div><div></div><div><div>Dimensions</div><div>5" H x 7.25" W x 3" D</div></div></div> <div></div>	5201 S2Y2K4-6
Admin Software License (one-time purchase, unlimited units)	9001
Knox Power Pack (backup power supply)	9101
Additional MedVault Features and Options	
WiFi/Ethernet Connectivity	
Magnetic Mount Antenna, Bolt-Mount Antenna, Side Antenna Jack	
Recess Mount	

KNOX RESIDENTIAL BOX™







For product details, see page 24
Not Recommended for Commercial Use

Type	Mount Type	Tamper Alert	Color	Model #
Hinged Door 	Surface 	✓	Aluminum	1662
		✓	Black	1660
		✓	Dark Bronze	1664
		-	Aluminum	1661
		-	Black	1658
		-	Dark Bronze	1663
	Door Hanger 	-	Aluminum	1667
		-	Black	1659
		-	Dark Bronze	1669

Dimensions
Surface Mount: 4" H x 5" W x 2.75" D
Door Hanger: 4" H x 5" W x 2.75" D

KNOX HOMEBOX™

For product details, see page 25
Not Recommended for Commercial Use

Type	Mount Type	Color	Model #
Wall Mount 	Faceted Backplate 	Antique White	1501B1
		Dove	1503B1
		Linen	1502B1
	Standard 	Antique White	1501
		Dove	1503
		Linen	1502
Door Hanger 	Security Door 	Antique White	1501SH
		Dove	1503SH
		Linen	1502SH
	Standard Door 	Antique White	1501DH
		Dove	1503DH
		Linen	1502DH

Dimensions
5.25" H x 3.4375" W x 2.75" D

Dimensions
4.1875" H x 2.3125" W x 2.6875" D



KNOX ACCESSORIES

Type		Model #
	<ul style="list-style-type: none"> • Knox Alert Decal • Alerts Fire Department that there is a KnoxBox/KnoxVault on-site 	1001
	<ul style="list-style-type: none"> • Large Decal • For use with Knox Document Cabinet 	1005
	<ul style="list-style-type: none"> • 4x4-inch Maltese Label • Reflective 	9007
	<ul style="list-style-type: none"> • For Single Gate & Key Switch 	1002
	<ul style="list-style-type: none"> • For Dual Gate & Key Switch • Fire Dept (RED) 	1035
	<ul style="list-style-type: none"> • For Dual Gate & Key Switch • Police (BLUE) 	1036
	<ul style="list-style-type: none"> • For Dual Gate & Key Switch • Sheriff (GOLD) 	1037
	<ul style="list-style-type: none"> • For Dual Gate & Key Switch • Security (SILVER) 	1038
	<ul style="list-style-type: none"> • For Knox Padlocks 	1039
	<ul style="list-style-type: none"> • For Knox Padlocks 	1040
	<ul style="list-style-type: none"> • For Knox Padlocks 	1041
	<ul style="list-style-type: none"> • For Knox Padlocks 	1042
	<ul style="list-style-type: none"> • For Knox Padlocks 	9031
	<ul style="list-style-type: none"> • Key Tags (package of 10) 	1006
	<ul style="list-style-type: none"> • Key Rings, 1.0" brass (package of 10) 	1007
	<ul style="list-style-type: none"> • Tamper Seals (package of 50) 	1008

Model number and product availability subject to change without notice.

KNOX RAPID ACCESS SYSTEMS

Underwriters Laboratories (UL) is a Nationally Recognized Testing Laboratory. If a product is “UL listed,” individuals, including fire and building officials, can rely on the product and with confidence, allow it to be used in their jurisdiction.

UL Listings	UL 1037	UL 437	UL 1610	UL 1332	UL 508
 	Anti-Theft Alarms and Devices (entire unit)	Standard for Safety for Key Locks (keyway)	Central Station Alarm Units (units with tamper alert)	Organic Coatings for Steel Enclosures for Outdoor Use Electrical Equipment (Knox-Coat®)	Industrial Control Equipment (entire unit)
Commercial Applications - Outdoor Use					
KnoxBox® 3200	●	●	●	●	
KnoxVault® 4400	●	●	●	●	
Knox Remote Power Box™	●	●	●	●	●
Knox Gate & Key Switches™		●			
Knox Padlocks™		●			
Commercial Applications - Outdoor Use, Weather Protection Required					
Knox Elevator Box™	●	●	●		
Knox Document Cabinet™	●	●	●		

ORDER ONLINE:

KNOXBOX.COM

TO LEARN MORE, CALL:

1.800.552.5669



KNOX COMPANY
1601 W. DEER VALLEY RD
PHOENIX, AZ 85027

T 800.552.5669
F 623.687.2290

KNOXBOX.COM
INFO@KNOXBOX.COM